



A Certified MBE Company

Dedicated to a Cleaner Environment Since 1982

CHAIN OF CUSTODY

Delaware Industrial Park
6 Garfield Way, Newark, DE 19713-5817
Tel: (302) 737-3376 Fax: (302) 737-5764

Email: battaenv@battaenv.com
Web: www.battaenv.com



Page of



NVLAP #101032
AIHA LAP, LLC #100448
NY ELAP #11993
EPA Lab #DE004

Customer Billing Information

Tel 1: _____
Tel 2: _____

Shipping Information

- Picked up by BATT A
- Delivered by Customer
- Shipped by Customer

Turnaround Times (check one, refer to notes*)

- 3 Hours/Immediate (Note 1)
- 6 Hours/Same Day (Note 2)
- 24 Hours (Note 3)
- 48 Hours (Note 4)
- 72 Hours (Note 5)
- 5 Days (Note 6)
- 5 - 10 days
- Other _____

Customer Name: _____
Billing Address 1: _____
Billing Address 2: _____

Results To: _____ Tel 1: _____
Results To: _____ Tel 2: _____

Project Name: _____
Project Location: _____

Emails: _____

Client Project #: _____

BEA Project #: _____
BL Project #: _____

*Notes Regarding Turnaround Times

- 1 Specific turnaround depends on the test requested. Turnaround not available for all types of analysis. Client must make prior arrangements with lab to guarantee turnaround time. Premium rate will apply.
- 2 Same day (by 5 p.m.) offered if samples are received by 12 noon. After that time, a 6-hour designation may be offered. A 6-hour/Same Day turnaround time may not be available with all analyses.
- 3 Unless a specific time is requested, results are guaranteed by 5 p.m. on the following business day. The turnaround time of 24 hours may not be available with all analyses.
- 4 Unless a specific time is requested, results are guaranteed by 5 p.m. on the 2nd business day.
- 5 Unless a specific time is requested, results are guaranteed by 5 p.m. on the 3rd business day.
- 6 Unless a specific time is requested, results are guaranteed by 5 p.m. on the 5th business day.

| BL Use Only | Field Sample ID# | Sample Location / Description | Sampling Date / Time | Sampling Info (Air & Surface Samples) | | | | Sample Type | Test Method | Lab Use Only | | |
|-------------|------------------|-------------------------------|----------------------|---------------------------------------|-----------|-----------|-------------|-------------|-------------|--------------|------------------|---------|
| | | | | Start Time | Stop Time | Flow Rate | Volume/Area | | | Results | Date of Analysis | Analyst |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

Sample Relinquished By: _____ Date: _____ Time: _____

Sample Received By: _____ Date: _____ Time: _____

Sample Relinquished By: _____ Date: _____ Time: _____

Sample Received By: _____ Date: _____ Time: _____

Special Instructions / Requests From Client (if applicable):
Note to Client: Batta Laboratories recommends that blanks be supplied by the client when mandated by published methods.

BLI Use Only Logged-in By: _____ Log-in Date: _____ Date: _____
Lab Note: When building material layers are not specified by the client on the Chain of Custody, Batta will follow EPA 600 R-93/116, and make those determinations in the lab at the time of analysis. **Friability:** State/Federal Regulations mandate friability shall not be determined in labs.

BL Use Only
Are some samples not accepted? If so, check "No" and explain conditions in the box below.
 Yes No Received on Ice

Field Samples : _____
Not Accepted : _____

Conditions : _____

Method of Payment

- Cash Cashier _____
- Visa / Mastercard / Discover
- Money Order
- Purchase Order # _____
- Check # _____
- Other _____
- Unit Price / Quote
- Total Payment _____
- Reference # _____

For Accounting Office Use Only

For drinking water samples: for results to be valid, lab must receive samples on ice and within 48 hours of collection. **For air samples collected by NIOSH 7400 and 7402:** in accordance with these NIOSH methods, two field blanks (or 10% of the number of field samples submitted, whichever is greater) must be submitted and be analyzed with field samples.